Appendix F:

Calculations and Supporting Documents

Show

Manning's N Roughness Coefficients - Open Channel

The following Manning's n Roughness Coefficient table is from the United States Department of Transportation – Federal Highway Administration: Hydraulic Engineering website: http://www.fhwa.dot.gov/engineering/hydraulics/pubs/08090/appb.cfm

Table B.2. Manning's Roughness Coefficients for Various Boundaries.

Rigid Boundary Channels	Manning's
Very smooth concrete and planed timber	0.011
Smooth concrete	0.012
Ordinary concrete lining	0.013
Wood	0.014
Vitrified clay	0.015
Shot concrete, untroweled, and earth channels in best condition	0.017
Straight unlined earth canals in good condition	0.020
Mountain streams with rocky beds	0.040 -0.050
MINOR STREAMS (top width at flood stage < 30 m)	
Streams on Plain	
1. Clean, straight, full stage, no rifts or deep pools	0.025– 0.033
2. Same as above, but more stones and weeds	0.030- 0.040
3. Clean, winding, some pools and shoals	0.033– 0.045
4. Same as above, but some weeds and stones	0.035– 0.050
5. Same as above, lower stages, more ineffective slopes and sections	0.040- 0.055
6. Same as 4, but more stones	0.045– 0.060
7. Sluggish reaches, weedy, deep pools	0.050- 0.080
8. Very weedy reaches, deep pools, or floodways with heavy stand of timber and underbrush	0.075– 0.150
Mountain Streams, no Vegetation in Channel, Banks Usually Trees and Brush Along Banks Submerged at High Stages	y Steep,
Bottom: gavels, cobbles and few boulders	0.030- 0.050
2. Bottom: cobbles with large boulders	0.040- 0.070
Floodplains	
Pasture, No Brush	
1. Short Grass	0.025– 0.035
2. High Grass	0.030- 0.050
Cultivated Areas	
1. No Crop	0.020- 0.040
2. Mature Row Crops	0.025- 0.045
3. Mature Field Crops	0.030- 0.050
	1.000

Scattered brush, heavy weeds	0.035–
	0.070
2. Light brush and trees in winter	0.035– 0.060
3. Light brush and trees in summer	0.040- 0.080
4. Medium to dense brush in winter	0.045- 0.110
5. Medium to dense brush in summer	0.070- 0.160
Trees	000
1. Dense willows, summer, straight	0.110- 0.200
2. Cleared land with tree stumps, no sprouts	0.030- 0.050
3. Same as above, but with heavy growth of sprouts	0.050- 0.080
Heavy stand of timber, a few down trees, little undergrowth, flood stage below branches	0.080- 0.120
5. Same as above, but with flood stage reaching branches	0.100- 0.160
MAJOR STREAMS (Topwidth at flood stage > 30 m)	000
The n value is less than that for minor streams of similar descripti banks offer less effective resistance.	on, because
Regular section with no boulders or brush	0.025- 0.060
Irregular and rough section	0.035- 0.100
Alluvial Sand-bed Channels (no vegetation)	'
Tranquil flow, Fr < 1	
Plane bed	0.014- 0.020
Ripples	0.018– 0.030
Dunes	0.020- 0.040
Washed out dunes or transition	0.014- 0.025
Plane bed	0.010- 0.013
Rapid Flow, Fr > 1	•
Standing waves	0.010– 0.015
Antidunes	0.012- 0.020
Overland Flow and Sheet Flow	
Smooth asphalt	0.011
Smooth concrete	0.012
Cement rubble surface	0.024
Natural range	0.13
Dense grass	0.24
Bermuda grass	0.41
Bermuda grass Light underbrush Heavy underbrush	0.41 0.40 0.80